



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Contents

H.T Hexagon Screws & Bolts / Steel Machine Screws

4

Steel Nuts / Steel Washers

5

Socket Screws / Steel Pins

6

Sheet Metal Products / Studding and Misc. Engineering

7

Woodscrews / Woodwork Fixings

8

Self Tapping Screws / Nails

9

Stainless Steel Fasteners / Stainless Steel Wood Products

10

Brass & Nylon Products / Galvanised Products

11

Security Fasteners / Cladding Fasteners

12

U.P.V.C. Fixings / Silicone and Sealants

13

Gesipa® Products / MasterfixR Products

14

Bralo® Products / Monobolts®

15

Tucker Pop® Rivets / Emhart Parabol®

16

Rawlbolt® / Rawlplug®

17

Contents

HSS Taps and Dies / HSS Drill Bits

18

Abrasives / Discs

19

Paper Products / Rag Wipes

20

Protective Gloves / Safety Wear

21

Crimp-On Terminals / Cable Ties and Tape

22

Sureloc Products / Recoil® Inserts

23

Adhesives Products / Cleaning Products

24

Plastic Inserts / Hand Wheels & Feet

25

Molyslip® Products / Air Power Tools

26

Bosch Blue Power Tools / Hand Tools

28

Terry Storage Bins / System Cases

29

Miscellaneous Products / Blades, Clips and Bits

30

Technical Data / Flat Washer Dimensions

31

Technical Data / Conversion Chart

31





Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: HT SETSCREWS & BOLTS
Threads: Metric, Metric Fine, UNC, UNF, BSF, BSW & BA

Dia.Range: Metric: M5 to M30
Metric fine M8 to M24
Unified: 10-32 to 1"
BSW: 3/16" to 1"
BSF: 3/16" to 1"
BA: 6BA to 0BA
Length: Metric 12mm to 300mm
Metric Fine: 16mm to 150mm
Unified: 1/2" to 4"
BSF: 1/2" to 4"
BSW: 1/2" to 4"
BA: 1/4" to 1"

Product: HEX MILD STEEL SETS, HEX ROUND HEX BOLTS & NUTS

Threads: Metric, Metric Fine, UNC, UNF, BSF, BSW & BA

Dia.Range: Metric: M6 to M24
Length: Metric 12mm to 600mm



Material: Mild Steel, Grade 8.8, Grade 10.9 (Metric only) Grade 12.9 (Metric only)

Finishes: Self Colour, Zinc/Clear, Zinc/Yellow, Zinc/Black, Nickel, Galvanised

Product: MACHINE SCREWS

Heads: Slot: Countersunk, Raised, Cheese, Round
Recess: Countersunk, Pan, Raised

Threads: Metric, UNC, UNF, BSW, BSF & BA

Dia.Range: Metric: M1.6 to M20
UNC: 2-56 to 3/8"
UNF: 4-48 to 1/4"
BSW: 3/16" to 3/4"
BSF: 3/16" to 5/16"
BA: 10BA to 0BA

Length: Metric: 4mm to 60mm
UNC: 1/4" to 2"
UNF: 1/4" to 2"
BSF: 1/4" to 3"
BSW: 1/4" to 4"
BA: 1/8" to 2"



Material: Mild Steel

Finishes: Self Colour, Zinc/Clear, Zinc/Yellow, Zinc/Black, Nickel

email: sales@southessexfasteners.co.uk



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: NUTS
FULL
LOCK (Half)
SLOTTED
CASTLE
DOME
WING
FLANGE
NYLON INSERT SELF LOCKING
AEROTIGHT
BINX
BIW
STOVER

Threads: Metric, Metric Fine, UNC, UNF, BSW, BSF & BA

Dia.Range: Metric: M1.6 to M56
Metric Fine: M6 to M24
UNC: 2-56 to 1.1/2"
UNF: 4-48 to 1.1/2"
BSW: 1/8" to 3"
BSF: 3/16" to 1"
BA: 10BA to 0BA



Material: Mild Steel, Grade 8

Finishes: Self Colour, Nickel, Zinc/Clear, Zinc/Pass, Zinc/Black

Product: WASHERS
PLAIN FLAT (Light & Heavy)
MUDGUARD REPAIR
SINGLE COIL SPRING SQUARE
(Available in Light & Heavy Patterns)
SINGLE COIL SPRING FLAT
(Available in Light & Heavy Patterns)
DOUBLE COIL SPRING
SHAKEPROOF INT. & EXT.*
RED FIBRE
CRINKLE
TAPER
SQUARE PLATE

Threads: Metric, Imperial & BA

Dia.Range: Metric: M1.6 to M56
Imperial: 1/8" to 2"
BA: 10BA to 0BA

FLAT WASHER TABLES TO BE FOUND IN TECHNICAL SECTION ON PAGE 28



Material: Steel, Fibre, Phosphor Bronze*, Beryllium Copper (Crinkle only)

Finishes: Self Colour, Zinc/Clear, Zinc/Yellow, Zinc/Black, Nickel

email: sales@southessexfasteners.co.uk



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: CAP, SET SCREW (Grub)
COUNTERSUNK, BUTTON
PRESSURE PLUG
SHOULDER SCREW
SOCKET WRENCH (Allen Key)

Threads: Metric, Metric Fine, UNC, UNF,
BSW, BSF & BA

Dia.Range: Metric: M1.6 to M36
Metric fine: M10 to M16
UNC: 4-40 to 1.1/2"
UNF: 4-48 to 1.1/2"
BSW: 3/16" to 1.1/2"
BSF: 1/4" to 1.1/2"
BA: 8BA to 0BA

Length: Metric: 3mm to 400mm
Metric fine: 25mm to 100mm
UNC: 1/8" to 10"
UNF: 1/8" to 10"
BSW: 3/16" to 10"
BSF: 1/4" to 10"
BA: 3/16" to 2.1/2"



Material: Steel

Finishes: Self Colour, Zinc/Clear, Zinc/Yellow, Nickel



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: HEXAGON & ROUND HANK
BUSHES

Threads: Metric, UNC, BSW & BA

Dia.Range: Metric: M2.5 to M12
UNC: 4-40 to 1/2"
BSW: 3/16" to 1/2"
BA: 8BA to 0BA

Gauge: 10SWG to 20SWG



Material: Steel, Stainless Steel

Finishes: Self Colour, Zinc/Clear

Product: SELF CLINCH STUDS

Threads: Metric

Dia.Range: M2.5 to M8

Length: 8 to 30mm

Product: CD WELD STUDS

Threads: Metric

Dia.Range: M3 to M8

Length: 6 to 50mm

Product: WELD NUTS

Threads: Metric, UNC

Dia.Range: Metric: M5 to M12
UNC: 1/4" to 1/2"

Length: 6 to 50mm

Product: SPLIT COTTER

Dia.Range: Metric: M1.0 to M13.0
Imperial: 1/32" to 1/2"

Length: Metric: 6mm to 180mm
Imperial: 1/4" to 8"

Product: TAPER

Dia.Range: Metric: M1.5 to M20
Imperial: 1/16" to 5/8"

Length: Metric: 6mm to 150mm
Imperial: 3/8" to 6.1/2"

Product: SPRING DOWEL

Dia.Range: Metric: M1.5 to M12
Imperial: 1/16" to 1/2"

Length: Metric: 6mm to 120mm
Imperial: 1/8" to 4"

Product: SOLID DOWEL
EXTRACTABLE DOWEL*

Dia.Range: Metric: M1.0 to M20
Imperial: 1/16" to 1"

Length: Metric: 4mm to 120mm
Imperial: 1/4" to 6"

* Metric only



Material: Mild Steel, Carbon Steel, Stainless Steel, Hardened and Ground



Product: STUDDING

Threads: Metric, Metric Fine, UNC, UNF, BSF,
BSW & BA.

Dia.Range: Metric: M2.5 to M36
Metric fine: M6 to M24
UNIFIED: 10-32 to 1"
BSW: 1/4" to 1.1/2"
BSF: 1/4" to 1"
BA: 6BA to 0BA

Length: Metric: 1 Metre & 3 Metre
Imperial: 3 Feet & 10 Feet

Product: SOLID RIVETS

Heads: Flat, Countersunk, Oval & Round

Dia.Range: 1/16" to 3/8"

Length: 3/16" to 3"

Product: STARLOCK WASHERS
Plain and Capped

Dia.Range: Metric: 1.5mm to 25mm.
Imperial: 1/16" to 7/8"

Product: PUSH ON, CAPTIVE & CAGE
NUTS

Dia.Range: Metric

Styles: Various

Material: Mild Steel, Grade 8.8, Aluminium, Copper

Finishes: Self Colour, Zinc/Clear



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: SLOTTED WOODSCREWS
HARDENED RECESS
TWINTHREAD
WOODSCREWS

Heads: Slot: Countersunk, Round, Raised
Recess: Countersunk & Round

Dia.Range: Slot: No.4 to No.14
Recess: No.4 to No.12

Length: Slot: 1/2" to 4"
Recess: 1/2" to 4"

Product: MULTIPURPOSE SINGLE
THREAD

Heads: Countersunk & Round

Dia.Range: M3 to M6

Length: 12mm to 150mm

Product: PLASTIC COVER CAPS

Range: All Colours Available.

Product: BRASS SCREW CUPS

Range: Turned Surface

Styles: No.6 to No.14 No.4 to No.14



Material: Steel, Brass & Plastic

Finishes: Self Colour, Zinc/Clear, Zinc/Pass, Brass/Chrome, Brass/Nickel

Product: CUP/SQ/HEX BOLTS & NUTS

Threads: Metric

Dia.Range: M6 to M20

Length: 20mm to 400mm

Product: HEXAGON COACH
SCREWS

Dia.Range: Hex: M6 to M16
Sq: 1/4" to 1/2"

Length: Hex: 25mm to 200mm
Sq: 1" to 10"

Product: DRY WALL SCREWS

Dia.Range: 4.2mm to 5.5mm

Length: 23mm to 75mm

Product: DOUBLE SIDED
DOG CONNECTORS

Dia.Range: 50mm & 65mm

Product: TEE NUTS

Dia.Range: Metric: M4 to M10
BSW: 3/16" to 3/8"

Product: WOOD TO METAL DOWEL
SCREWS

Dia.Range: Metric: M6 to M10

Dia.Range: 40mm to 140mm



Material: Steel

Finishes: Self Colour, Zinc/Clear

email: sales@southessexfasteners.co.uk



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: SELF TAPPING SCREWS

Types: AB & B, Slotted & Recessed

Heads: Slot: Countersunk, Raised, Pan
Recess: Countersunk, Raised, Pan & Flange
Plain: Hexagon

Dia.Range: AB: No.4 to No.1
B: No.2 to No.10

Length: AB: 3/16" to 3"
B: 3/16 to 3/4"

Product: TAPTITE & TRI-LOBE

Types: Recess

Heads: Countersunk, Pan & Hexagon

Dia.Range: Metric: M2.5 to M6
UNC: 2-56 to 1/4"

Length: Metric: 6mm to 40mm
UNC: 3/16" to 1.1/2"

Product: HAMMER DRIVE

Dia.Range: All Colours Available.

Product: BRASS SCREW CUPS

Types: U

Dia.Range: No.00 to No.10

Length: 1/8" to 5/8"

Material: Steel

Finishes: Self Colour, Nickel, Zinc/Clear, Zinc/Pass, Zinc/Black



Product:	Length
ROUND WIRE	20 to 150mm
OVAL BRADS	25 to 150mm
LOST HEAD ROUND	30 to 100mm
CLOUT	20 to 100mm
EXTRA LARGE HEAD CLOUT	13 to 50mm
ANGULAR RING SHANK	20 to 125mm
SQUARE TWISTED	30 to 40mm
CUT CLASP	40 to 150mm
CUT FLOOR BRADS	50 to 100mm
PANEL PINS	15 to 75mm
MASONRY	25 to 100mm

Material: Steel

Finishes: Bright, Sheradised, & Galvanised

email: sales@southessexfasteners.co.uk



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: HEX SETSCREWS, BOLTS, NUTS, WASHERS, STUDDING

Threads: Metric, UNC, BSW & BA

Dia.Range: Metric: M3 to M24

UNC: 3/16" to 5/8"

BSW: 3/16" to 5/8"

BA: 6BA to 2BA

Length: Metric: 6mm to 200mm

UNC: 3/8" to 4"

BSW: 3/8" to 4"

BA: 1/4" to 2"

Product: SOCKET SCREWS & MACHINE SCREWS

Threads: Metric, UNC, BSW & BA

Dia.Range: Metric: M2 to M20

UNC: 1/8" to 5/16"

BSW: 1/8" to 5/16"

BA: 6BA to 2BA

Length: Metric: 3mm to 100mm

UNC: 1/4" to 2.1/2"

BSW: 1/4" to 2.1/2"

BA: 1/4" to 2"



Material: Stainless Steel A2 304 Stainless Steel A4 316

Finishes: Self Colour, or Plated

Product: WOODSCREWS

Types: Slotted & Pozi

Heads: Countersunk, Round

Dia.Range: No.4 to No.14

Length: 1/4" to 3"

Product: CUP/SQ/HEX BOLTS & NUTS

Threads: Metric

Dia.Range: M6 to M16

Length: 20mm to 150mm

Product: HEXAGON COACH SCREWS

Dia.Range: M6 to M12

Length: 20mm to 150mm

Product: SELF TAPPING SCREWS

Types: Slotted & Recessed

Heads: Countersunk, Pan & Raised

Dia.Range: No.4 to No.12

Length: 1/4" to 2.1/2"

Product: SURFACE CUP WASHERS

Dia.Range: No.4 to No.12



Material: Stainless Steel A2 304 Stainless Steel A4 316

Finishes: Self Colour or Plated



Material: Brass

Material: Nylon

Finishes: Self Colour & Nickel

Finishes: Natural & Black

BRASS RANGE

Product: HEXAGON SETSCREWS, BOLTS, NUTS, WASHERS, MACHINE SCREWS, STUDDING

Threads: Metric

Dia.Range: M2.5 to M12

Length: 6mm to 100mm

Product: HEXAGON & ROUND SPACERS

Dia.Range: M2.5 to M4

Length: 3mm to 40mm

NYLON RANGE

Product: HEXAGON SETSCREWS, NUTS, WASHERS, MACHINE SCREWS, STUDDING

Threads: Metric

Dia.Range: M2.5 to M12

Length: 6mm to 100mm

Product: HEXAGON DOMED NUT/BOLT COVERS

Colours: Black & White

Threads: Metric

Dia.Range: 3.5mm to 42mm

**Product: HEXAGON SETSCREWS
HEX/RD/HEX BOLTS & NUTS
CUP/SQ/HEX BOLTS & NUTS
NUTS
WASHERS
MACHINE SCREWS
STUDDING**

Threads: Metric

Dia.Range: M8 to M24

Length: 20mm to 1000mm

Product: HEXAGON & ROUND SPACERS

Dia.Range: M2.5 to M4

Length: 3mm to 40mm

Product: HEXAGON SETSCREWS, NUTS, WASHERS, MACHINE SCREWS, STUDDING

Threads: Metric

Dia.Range: M2.5 to M12

Length: 6mm to 100mm

Product: HEXAGON DOMED NUT/BOLT COVERS

Colours: Black & White

Threads: Metric

Dia.Range: 3.5mm to 42mm



Material: Mild Steel, High Tensile Grade 8.8

Finishes: Galvanised



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: TAMPER RESISTANT SOCKET RESISTORX HI SECURITY TORX PLUS 2 HOLE, OVAL PAN

Heads: Countersunk, Pan & Button
Types: Machine Screws Self Tapping
Dia.Range: M3 to M10 No.4 to No.14
Length: 10mm to 60mm 3/8" to 2.1/2"

Product: CLUTCH HEAD / SENTINALE

Heads: Countersunk
Types: Woodscrews
Dia.Range: No.6 to No.12
Length: 3/4" to 2"

Product: SHEAR NUTS, GRILLE ANCHORS, ARMOUR RING & 4 HOLE NUTS

Dia.Range: M6 to M20

Product: SPECIALISED TOOLS

Types: 1/4" Insert bits for all head patterns and hand tools to suit



Material: Steel, Stainless Steel A2

Finishes: Self Colour, Zinc, Galvanised

Product: ROOFING BOLT GUTTER BOLT

Heads: Mushroom Countersunk
Dia.Range: M5 to M10 M5 to M10
Length: 10mm to 280mm 12mm to 80mm

Product: HOOK BOLT

Dia.Range: M8 to M10
Length: 50mm to 300mm

Product: CLADDING SCREWS

Heads: Recess: Pan, Countersunk
Plain: Hex
Dia.Range: 4.2mm to 6.3mm
Length: 12mm to 150mm

Product: POLYTOP PINS

Length: 25mm to 40mm

Product: POLYTOP NAILS

Length: 40mm to 65mm



Material: Steel, Stainless Steel A4

Finishes: Zinc/Clear, Zinc/Yellow



Product: UPVC SCREWS

Styles: Hi-Lo Spoon Point, Spaced ST Thread, Spaced ST Thread Drill Point, Friction Stay, Metric Thread Drill Point, Frame Screws.

Heads: Countersunk, Pan
Dia.Range: 3.9mm to 4.8mm
Length: 13mm to 95mm

Product: NYLON FRAME FIXING

Dia.Range: M8 to M10
Length: 60mm to 165mm

Product: NYLON FRAME ANCHOR

Dia.Range: M8 to M10
Length: 80mm to 160mm

Product: METAL FRAME ANCHOR

Dia.Range: M8 to M10
Length: 60mm to 165mm

Product: NYLON HAMMER FIXING

Dia.Range: M5 to M8
Length: 30mm to 120mm

Product: FRAME SCREWS (TORX DRIVE)

Dia.Range: M7.5
Length: 40mm to 180mm



Product: SILICONE SEALANT

Colours: Clear, White, Brown, Aluminium, Lt Oak, Grey & Black
Size: STD. Cartridge
Types: Low & High Modulus, Acetoxy, Neutral Cure

Product: INTUMESCENT SILICONE/ACRYLIC

Colours: White, Grey

Product: GENERAL PURPOSE MASTIC

Colours: White, Stone, Grey, Brown, Red, Mahogany & Black
Size: 380ml Cartridge

Product: POLYURETHANE EXPANDING FOAM / FIRE RATED

Types: Aerosol 750ml or Gun Grade 750ml

Product: CYANOACRYLATE ADHESIVE

Types: No.101, No.102 & No.153
Size: 20ml & 50ml

Product: SOLVENT FRAME CLEANER

Size: 1 Litre & 5 Litre

Product: CREAM FRAME CLEANER

Size: 1 Litre & 5 Litre

Product: APPLICATORS

Size: Small & Large Caulking Guns

Foam Guns

Product: BLIND RIVETS
Types: Dome, Countersunk, Flange, Peeled, Grooved & Sealed
Dia.Range: M2.4 to M6.4
Length: 6mm to 30mm

Product: BLIND RIVET WASHERS
Dia.Range: 3mm to 5mm

Product: BLIND INSERT BUSHES
Types: Open, Countersunk, Cylindrical, Reduced Countersunk, Hex
Dia.Range: M4 to M10
Length: 17mm to 21mm

Product: SPECIALISED TOOLS
Types: HAND: NTS, GBM5, GBM10 & Flipper®
BATTERY: Accubird®, Firebird® & Powerbird®
AIR: PHI, PHII & PH2000



Material: Aluminium, Steel, Steel/Stainless, Stainless/Stainless, Copper
Finishes: Zinc/Clear, Zinc/Yellow



Material: Aluminium, Steel, Alu/Stainless, Stainless/Stainless, Copper
Finishes: Zinc/Clear, Zinc/yellow, Black, White

Product: BLIND RIVETS
Types: Multigrip, Dome, Countersunk, Flange, Trebol, Peeled, Grooved & Sealed
Dia.Range: M2.4 to M6.4
Length: 4mm to 50mm

Product: BLIND RIVET WASHERS
Dia.Range: 2.4mm to 6.4mm

Product: BLIND INSERT BUSHES
Types: Open, Countersunk, Cylindrical, Reduced Countersunk, Hex
Dia.Range: M3 to M12
Length: 9.5mm to 25mm

Product: SPECIALISED TOOLS
Types: HAND: BM65, BM67, BM90, BM92, BM93, TR 100, TR-200, TR-208, TR-212, TR-300
AIR: BM-600, BM-2000

Product: BLIND RIVETS
Types: Dome, Countersunk, Flange, Peeled, Grooved & Sealed
Dia.Range: M2.4 to M6.4
Length: 4mm to 50mm

Product: BLIND INSERT BUSHES
Types: Open, Countersunk, Cylindrical, Reduced Countersunk, Hex
Dia.Range: M3 to M12
Length: 7.9mm to 29.3mm

Product: BLIND RIVET BOLTS
Types: M4 to M8
Length: 10mm to 20mm

Product: SPECIALISED TOOLS
Types: HAND: MFX150, MFX250, MFX280 & MFX 60
AIR: XGrip R50S & XGrip NO8



Material: Aluminium, Steel, Steel/Stainless, Stainless/Stainless, Copper.
Finishes: Zinc/Clear, Zinc/Yellow, White, Brown & Black.



Material: Aluminium, Steel, Stainless Steel

Product: BLIND FASTENERS
Types: Magna-lok, Magna-bulb
Dia.Range: 4.8mm to 9.5mm
Grip Range: 1.6mm to 38.1mm
1.9mm to 30.8mm

Product: LOCKBOLTS
Types: C6L, C120L, Magna-Grip
Huck tainer Plus
Dia.Range: 4.8mm to 9.5mm
Grip Range: 1.6mm to 54mm
1.6mm to 41.3mm

Product: SPECIALISED TOOLS
Types: AIR: RAC 170
FHU: 2000

Product: EMHART POP® RIVETS
Types: Dome, Countersunk, Closed Flange, Peeled, & Sealed
Dia.Range: M2.4 to M6.4
Length: 3.5mm to 34mm

Product: BLIND INSERT NUTS
Types: Open, Flat, Closed, Hex
Dia.Range: M4 to M10
Length: 8mm to 19mm

Product: SPECIALISED TOOLS
Types: HAND: TT 26, Powerlink 30, Powerlink Leverlite A, Powerlink Plus A, TT24
AIR: TT1B, TT101B, TT16D, MCS4000, PRG510A, MCS5200, MCS540



Material: Aluminium, Steel, Nickel Copper Alloy (Monel), Copper & Stainless Steel

Finishes: Zinc/Clear, Zinc/Yellow

Product: PARABOLT® SLEEVE ANCHORS PARABOLT® THROUGH BOLTS RESIN CAPSULES RESIN ANCHORS

Types: Shield Anchor MS6 to M20
Loose Bolt M6 to M20
Bolt Projecting M6 to M20
Shields Only M6 to M24
Through Bolts* M6 to M24
Sleeve Anchors M4.5 to M16
Resin Anchors* M10 to M30
Resin Capsules M10 to M30



Material: Steel, Stainless Steel

Finishes: Zinc/Clear, Zinc/Yellow



Material: Steel, Stainless Steel

Finishes: Zinc/Yellow

Product: RAWLBOLT®

Types: Hooks & Eyes M6 to M12
Loose Bolt M6 to M24
Bolt Projecting M6 to M24
Shields Only M6 to M24
Safety + Anchor™ M8 to M20
Through Bolts* M8 to M20
Sleeve Anchors* M4.5 to M16
Wedge Anchor* M6 to M20
Socket Anchor M8 to M20
Resin Capsules M8 to M24
Resin Anchors* M8 to M24
Resin Sockets M8 to M16
Resin Cartridges
Resin Guns

Product: RAWLPLUG®

Types: Plastic Plugs M4 to M6
Intersets™ M3 to M6
Spring Toggles M3 to M12
Rawl Nuts™ M6 to M10
Rawloc® M6 to M14
Rawl™ Staples M6 to M14
Plasterboard Plug
Plasterboard Self Drill
Wire Hanger
Staple Gun
Masonry Drill Bits
SDS Drill Bits
Flat Wood Bits



Material: Steel, Rubber & Plastic

Finishes: Zinc/Clear, Zinc/ Yellow



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: HSS TAPS
Types: Hand, Machine, Spiral (Point & Flute)
Dia.Range: Metric: 1.6mm to 60mm
Metric Fine: 3.0mm to 48mm
Unified: No.2 to 1.1/2"
BSW: 1/16" to 2.1/2"
BSF: 3/16" to 2.1/2"
BA: 12BA to 0BA

Product: HSS DIES
Types: Circular Split
Dia.Range: Metric: 1.6mm to 48mm
Metric Fine: 2.0mm to 32mm
Unified: No.2 to 1.1/2"
BSW: 1/16" to 1.1/2"
BSF: 3/16" to 1.1/2"
BA: 12BA to 0BA

Product: HSS HEXAGON DIE NUTS
Types: Hexagon
Dia.Range: Metric: 3.0mm to 48mm
Metric Fine: 3.0mm to 32mm
Unified: No.6 to 1.1/2"
Whit: 1/8" to 2"
BSF: 3/16" to 3"
BA: 8BA to 0BA

Product: TAP WRENCHES
Range: 1/16" to 2.1/8"

Product: DIE STOCKS
Range: 13/16" O/D to 4" O/D




Product: HSS DRILL BITS, Dormer Stockists
Type: **Metric:** **Imperial:**
Std Jobber 0.3mm to 20mm 1/64" to 3/4"
Wire Gauge No.80 to No.1
Long Series 1.0mm to 30mm 1/16" to 1.1/2"
Extra Long 1.4mm to 14mm
Stub 1.0mm to 25mm 1/16" to 1.1/4"
Pan - L 3.0mm to 8.0mm 3/32" to 3/8"
Blacksmith 13mm to 25mm 9/32" to 1.1/2"
Morse Taper 2.0mm to 80mm 1/16" to 3.1/2"
Centre 4.0mm to 16mm 1/8" to 3/4"

Product: MASONRY DRILLS
Dia.Range: 3.0mm to 35mm
Length: 70mm to 600mm

Product: SDS PLUS MASONRY DRILLS
Dia.Range: 4.0mm to 30mm
Length: 110mm to 600mm

Product: CARBIDE BURRS/DENTIST DRILLS
Type: Ball End Cylinder
Length: 1mm to 25mm

Product: ROUTERS
Type: Single Flute
Dia.Range: 3.0mm to 12mm
Length: 60mm to 100mm



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: DRY SANDING PAPER
Size: Full Sheets & Rolls
Grades: P40 to P400

Product: WATERPROOF PAPER
Size: Full Sheets & 1/2 Sheets
Grades: P60 to P2000

Product: ABRASIVE STRIPS
Size: Various
Grades: P40 to P500
Types: Plain, 8, 10 & 14 Hole Self Stick & Velcro

Product: BLUE ABRASIVE CLOTH
Size: Full Sheets & Rolls
Grades: P40 to P600

Product: SANDING SPONGES
Size: Various
Grades: P60 to P1200

Product: SCOURING PADS
Size: 150mm X 230mm
Grades: Green

Product: 3M SCOTCHBRITE PADS
No.96
Size: 150mm X 230mm
Grades: Green



Product: FIBRE DISCS
Size: 100mm, 115mm & 180mm
Grades: P16 to P100

Product: ABRASIVE BELTS
Size: Various
Grades: P24 to P400

Product: FLAP DISCS
Size: 100mm, 115mm, 125mm & 178mm
Grades: P16 to P120

Product: GRINDING & CUTTING DISCS
Size: 100mm, 115mm, 125mm & 230mm
Grades: Metal & Stone

Product: ABRASIVE DISCS
Size: 150mm
Grades: P40 to P1200
Type: Plain, 6, 8 & 9 Hole Self Stick & Velcro

Product: BENCH GRINDER WHEELS
Size: All Standard Sizes
Grades: Coarse, Medium & Fine





Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: CENTREFEED ROLLS
Types:

Standard Centrefeed - Mini
Centrefeed
1ply - 2ply - 3ply
White or Blue

Product: HYGIENE ROLLS
Types:

10" White Roll 2ply 125 sheet
18x50cm 20" White Roll 2ply 125
sheet 9x50cm
10" Blue Roll 2ply 125 sheet 18x50cm
20" Blue Roll 2ply 125 sheet 9x50cm
10" Blue Roll 3ply 90 sheet 24x40cm
20" Blue Roll 3ply 90 sheet 12x40cm

Product: INDUSTRIAL JUMBO ROLLS
Types:

36cm Blue 1000sht 3 ply 400mt
28cm Blue 1000sht 3 ply 400mt
28cm White 1650sht 2ply 660mt
28cm White 1000sht 2ply 400mt
28cm Blue 1000sht 2ply 400mt
23cm White 1650sht 2ply 660mt
23cm White 1000sht 2ply 400mt
21cm Blue 1500mt Auto Roll 1ply

Product: HAND TOWELS C FOLD
Types:

C Fold 1ply Green 2800sht
C Fold 1ply Blue 2800sht
C Fold 1ply White 2800sht



Product: TOILET TISSUE SYSTEMS
Premium, Merit, Mini Jumbo, Std Jumbo, Pendimatic

Product: RAG WIPERS

Pack Size: 10kg Bag

Types: Description

R/MH Coloured Mixed Hosiery
R/CH Coloured Cotton Tee Shirt
R/CT Coloured 100% Cotton Towelling
R/DD Denim
R/WY Cotton Winceyette 100% Cotton
R/CW Cotton Candlewick 100% Cotton
R/CD Cotton Cord
R/HW Hotel White 100% Cotton
R/BW Best White 100% Cotton
R/WH White Cotton Hosiery Tee Shirt
R/WT White 100% Cotton Towelling
R/SW Selected Mixed White

Product: JANITORIAL PRODUCTS

Industrial Bleach
Disinfectants
Toilet Cleaners
HardSurface Cleaners
Multipurpose Cleaners
Washroom Soaps

Product: STOCKINETTE

Type: Mixed fibres or 100% Cotton
Size: 800g to 15kg Cut or Rolled



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: GLOVES

Range: Powdered Latex Disposable,
Unpowdered Latex Disposable,
Powdered Vinyl Disposable,
Nitrile Disposable,

Stockinette Knit Wrist,
All Cotton Drill Knit Wrist,
Cotton Chrome Knit Wrist,

Furniture Hide Rigger,
Furniture Block Rigger,
Double Palm Rigger,
Chrome Canadian Rigger,
Superior Rigger,
Elite Rigger,
Yellow & Blue Power Rigger,

Orange Criss Cross Grippa,
Grab n Gripp Knit Wrist,
Kevlar Knit Wrist,
Red PVC Knit Wrist,
Red PVC Gauntlet,
Latex Gristle Knit Wrist,
Nitrile Knit Wrist,
Welders Gauntlets,



Product: COVERALLS

Type: Tyvek Protec Classic, Taptex, Budget
Coveralls,

Size: S, M, L, XL, XXL
Colour: White, Blue, Red

Product: FACE MASKS

Type: 3M
Safety Source

Product: GOGGLES & SPECS

Product: Hi-VIS WORKWEAR
Type: Waistcoats, Jackets, Tee, Polo, Sweat
Shirts All Colours
Size: Small to XXXL
Printing If Required

Product: SAFETY HELMETS

All Colours

Product: EAR PROTECTION

Type: Ear Defenders,
Ear Plugs,

Product: FIRST AID

Type: Kits 10 to 50 Person,
Assorted Plasters,
Eye Wash,





Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: RING
Dia.Range: 3.2mm to 12mm

Product: SPADE
Dia.Range: 3.2mm to 6.4mm

Product: PIN
Size: 10mm to 18mm

Product: PUSH ON
Dia.Range: 3.2mm to 10mm

Product: PIGGY BACK
Dia.Range: 3.2mm to 6.4mm

Product: BULLET
Dia.Range: 4mm to 5mm

Product: IN LINE CONNECTORS
Dia.Range: 4mm to 6.8mm

Wire Gauge: Red: 0.15 to 1.5mm"
Blue: 1.5 to 2.5mm"
Yellow: 4.0 to 6.0mm"

Product: RATCHET CRIMPING TOOL
Type: CT15 Insulated
UCT15 Un-insulated

* LIMITED RANGE OF UN-INSULATED
TERMINALS AVAILABLE



Product: CYANOACRYLATE ADHESIVE
Type: No.4401, No.4406, No.4409,
No.4416, No.4420, No.4422,
No.4424, No.4495

Size: 20g & 50ml

**Product: CYANOACRYLATE
ACTIVATOR**
Size: 200ml

Product: ANAEROBIC ADHESIVES
Type: No.2222, No.2242, No.2270,
No.2290
Size: 50ml

Product: RETAINING GRADES
Type: No.6601, No.6638, No.6641,
No.6648
Size: 50ml

**Product: SEALING & GASKETING
GRADES**
Type: No.5518, No.5542, No.5572,
No.5573 No.5574, No.5577
Size: 50ml

Product: STRUCTURAL ADHESIVES
Type: No.2226, No.2227, No.2228
No.BD11Act, No.BD12Act

Product: CABLE TIES
Colours: Black & Natural
Dia.Range: 2.4mm to 7.6mm
Length: 80mm to 1080mm

Product: MARKER TIES
Length: 80mm to 1080mm

Product: ADHESIVE MOUNTS
Colours: Black & Natural
Size: 20mm" & 28mm"

Product: SCREW MOUNTABLE
Range: Black & Natural
Length: 110mm to 300mm

Product: PUSH MOUNT
Length: 155mm & 200mm

Product: INSULATION TAPE
Width: 19mm
Length: 20 Metre & 33 Metre Rolls
Length: Red, Blue, Yellow, Brown,
Black, Green, White, Grey
& Green/Yellow

Product: PTFE TAPE
Length: 1/2" Rolls

Product: MASKING TAPE
Length: 19mm to 50mm



Product: RECOIL KITS
Contents: Inserts, Setting Tool & Tap
Range: Metric: M2 to M42
Metric Fine: M8 to M42
Metric Extra Fine: M8 to M42
Spark Plug: M10 to M18
UNF: 4-48 to 1.1/2"
UNC: 2-56 to 1.1/2"
BSW: 1/8" to 1.1/2"
BSF: 1/4" to 1.1/4"
BA: 6BA to 0BA
BSP/NPT: 1/8" to 1"

Product: INSERTS
Range: Metric: M2 to M42
Metric Fine: M8 to M42
Metric Extra Fine: M8 to M42
Spark Plug: M10 to M18
UNF: 4-48 to 1.1/2"
UNC: 2-56 to 1.1/2"
BSW: 1/8" to 1.1/2"
BSF: 1/4" to 1.1/4"
BA: 6BA to 0BA
BSP/NPT: 1/8" to 1"

Accessories: TAPS
INSERT TOOL
EXTRACTING
TOOL
STUD SAVERS
DRILL OUTS



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product:	PANEL ADHESIVE
Type:	Webbgrip
Size:	380 ml
Product:	WOOD GLUE
Type:	PVA & Waterproof
Size:	5 Litre & 25 Litre
Product:	POLYURETHANE SEALER
Type:	Over Paintable Sealer & Adhesive
Colour:	Black, White & Grey
Size:	310 ml Cartridge
Product:	SPRAY ADHESIVES
Type:	Multi Purpose Contact Adhesive, Halogen Free, Fasttack, High Temperature,
Size:	500 ml Aerosol



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product:	PLASTIC INSERTS
Colour:	Black, White & Grey
Styles:	Round, Square & Rectangular
Types:	Ribbed, Plain & Threaded
Size:	Metric: 12.7mm to 100mm Imperial: 1/2" to 2 1/2"
Gauge:	Metric: 1mm to 2mm 2mm to 3.2mm Imperial: 14 to 20swg 10 to 14 swg
Product:	OUTSIDE FITTING FERRULES
Colour:	Black
Styles:	Round, Square, Oval
Size:	1/2" to 1 1/2"
Product:	THREADED INSERTS
Colour:	Black
Styles:	Round & Square
Size:	5/8" to 1 1/2"
Product:	ADJUSTABLE FEET
Colour:	Black
Styles:	Round & Conical. Static & Tilt
Dia.Range:	M6 to M12
Base.Dia:	25mm to 55mm
Length:	12.5mm to 50mm
OTHER PRODUCTS AVAILABLE: Wire End Tips, Saddle Feet, Stand Off Feet, Tube Adapters & Cover Caps	



Material: Plastic

Finishes: Zinc

Product:	HAND CLEANERS
Size:	Tufanega Tufanega Green Tufanega Orange Suprega Plus Deb Natural Deb Lime Verve Polyscrub Scrub Wipes Red Box Wipes
Product:	SURFACE CLEANERS
Types:	Tot Treetop Janitol Jizer
Product:	PROTECTIVE CREAMS
Types:	Deb Protect Deb Restore
Product:	LUBRICANTS
Types:	Contact "Duck oil" WD 40
Product:	DISPENSERS
Types:	Cartridge & Mechanical
Product:	SCRUBS
Types:	Waterless Hand Wipes.
Size:	Tubs, Bucket, Packet



Product:	HAND WHEELS
Styles:	Scallop, Tristar, Star, Wing, Ball & Triangular
Types:	Male, Female & Female Through
Dia.Range:	M5 to M12
Head size:	20mm to 110mm
Length:	10mm to 60mm
Product:	SELF ASSEMBLY KNOBS
Styles:	Knurled, Rosette & Tee
Size:	M3 to M10
FOR USE WITH SOCKET CAPSCREWS ONLY	
Product:	CLAMPING LEVERS
Type:	Male & Female
Dia.Range:	M4 to M16
Length:	5mm to 50mm
OTHER PRODUCTS AVAILABLE: Hand Grips, Wheels/Castors & Bridge Handles	

Material: Thermoplastic, Duroplast, Polypropylene

Finishes: Zinc

Product: MOLYSLIP ®

Types:

MCC Cutting Compound
MWF Tapping/Drilling Oil
MWS Cutting SPRAY
MSO Soluble Cutting Oil
MEP Soluble Cutting Fluid

CPF Metal Protector
ADF Moly-Dry Film

LQG Chain Lubricant
OGS Wire Rope Lubricant

FMG Food Grease
MSB Bearing Grease
MBG Moly-Bentone Grease

Copaslip Anti-Seize
Combat A88 Multi-Purpose Spray



Product: IMPACT DRILLS

Voltage: 110 & 240

Product: MINI ANGLE GRINDERS

Voltage: 110 & 240

Dia.Range: 100mm & 115mm

Product: ANGLE GRINDERS

Voltage: 110 & 240

Dia.Range: 180mm & 230mm

Product: JIGSAW

Voltage: 110 & 240

Product: CORDLESS DRILLS

Voltage: Various

Product: JIGSAW BLADES

Voltage: Metal, Wood & Plastic

Product: SABRE SAW BLADES

Voltage: Metal, Wood & Plastic

***FULL PRODUCT RANGE AVAILABLE FROM THE BOSCH CATALOGUE**

Product: AIRTOOLS®

Types:

Impact Wrenches
Ratchet Wrenches
Drills
Screwdrivers
Die Grinders
Rotary Sanders
Polishers
Angle Grinders
Belt Sanders
Block Sanders
Hammers
Needle Scalers
Cutting Tools
Nibblers
Air Body Saw
Laminate Trimmer
Riveters
Spray guns
Staple gun

Product: AIR LINE ACCESSORIES

Types: Rubber Air Hose, Polyurethane Recoil Hose, Filter Regulator-Lubricator Oiler Quick Connect Set Retractable Hose Reel



Product: HAND TOOLS ETC

KAMASA & LASER:

Spanners open ended & combination screwdrivers & screwdriver sets ratchet drivers, socket sets, adjustable wrenches wrench sets

OLYMPIA:

Gorilla bars, c clamps, wrecking bars turbo knives, tapes, sack barrows

SILVERLINE RANGE TO SUIT:

Builders, plumbers, electricians, engineers, carpenters, decorators, welders, automotive, contractors and D.I.Y.

PLEASE ASK FOR FREE 80 PAGE CATALOGUE



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Product: ECO BOXES

Type:	No.T110	109 X 100 X 53mm
	No.T111	111 X 168 X 76mm
	No.T112	160 X 250 X 129mm
	No.T112B	344 X 250 X 129mm
	No.T114	220 X 355 X 167mm
	No.T115	333 X 505 X 187mm

Product: CONTI KITS

Type:	10XT110c/w	2 Plastic Back. Strips
	8XT111 c/w	2 Plastic Back. Strips
	4XT112 c/w	1 Metal Backing Strip

Product: ECO BOX KITS

Type:	No.01 c/w	6 X T111 + 9 X T110
--------------	-----------	---------------------

Product: BACK PANELS

Type:	Portrate or Landscapes
Sizes:	LP1 500mm x 500mm
	LP2 1000mm x 500mm
	LP3 500mm x 1000mm



Product: BLADES

Type:	Starrett Hole Saws
	HSS. Eclipse Hacksaw
	HSS. Eclipse Power Hacksaw
	HSS. Junior Hacksaw
	Trimming

Product: TOOLS

Type:	Hacksaw Frames, Trimming Knives
	Jack Saws

Product: TOGGLE CLIPS T100L

Material:	Stainless & Zinc Plated
------------------	-------------------------

Product: HOSE CLIPS

Range:	Zinc: 12 to 400mm
	Stainless: 12 to 300mm

Product: SCREWDRIVER BITS

Type:	Pozi, Phillips, Straight, Torx Drive
Length:	1" to 6"

Product: TAPE MEASURES

Length:	3 Metre, 5 Metre, 8 Metre & 10 Metre
----------------	--------------------------------------

Product: PADLOCKS

Range:	1/2" to 3"
Type:	Brass, Iron & Steel

Product: SYSTEM CASES

Type:	Compartments
	Small 10
	Medium* 16
	Large* 18
	Double Large* 27
	* with safety catch

Product: SORTA CASE

Type:	Small 12
	Medium 10

Product: POWER CASE

Type:	Small
	Medium

ALL THESE CASES ARE OF STEEL CONSTRUCTION

EXTRA INTERCHANGEABLE PLASTIC COMPARTMENTS AND

COMBINATIONS ARE AVAILABLE



Product: MISCELLANEOUS PRODUCTS

Type:	Diamond blades
	Extra thin cutting discs
	ZG 90 Cold zinc / galv spray
	Tarpaulins
	Gaffer tape
	Packaging tape
	Masking tape
	Wire brushes
	Paint brushes
	Countersink bits
	Hanks of rope
	Skillett wrap
	Shrink wrap
	Black banding tape
	Spray adhesive

SHOULD YOU REQUIRE A PRODUCT THAT IS NOT LISTED, PLEASE ENQUIRE AS WE ARE CONSTANTLY EXPANDING OUR RANGE



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Southend-On-Sea
Tel: 01702 615326
Fax: 01702 461620

Colchester
Tel: 01206 793497
Fax: 01206 793869



Form A: Normal Diameter

Normal Size	Inside Diameter	Outside Diameter	Thickness
M1.6	1.7	4	0.3
M2	2.2	5	0.3
M2.5	2.7	6.5	0.5
M3	3.2	7	0.5
M3.5	3.7	7	0.5
M4	4.3	9	0.8
M5	5.3	10	1.0
M6	6.4	12.5	1.6
M8	8.4	17	1.6
M10	10.5	21	2.0
M12	13	24	2.5
M14	15	28	2.5
M16	17	30	3.0
M18	19	34	3.0
M20	21	37	3.0
M22	23	39	3.0
M24	25	44	4.0
M27	28	50	4.0
M30	31	56	4.0
M33	34	60	5.0
M36	37	66	5.0
M39	40	72	6.0

Form B: Normal Diameter

Normal Size	Inside Diameter	Outside Diameter	Thickness
M5	5.3	10	0.8
M6	6.4	12.5	0.8
M8	8.4	17	1
M10	10.5	21	1.25
M12	13	24	1.6
M14	15	28	1.6
M16	17	30	2
M18	19	34	2
M20	21	37	2
M22	23	39	2
M24	25	44	2.5
M27	28	50	2.5
M30	31	56	2.5
M33	34	60	3
M36	37	66	3
M39	40	72	3

Form C: Large Diameter

Normal Size	Inside Diameter	Outside Diameter	Thickness
M4	4.3	10.0	0.8
M5	5.3	12.5	1
M6	6.4	14	1.6
M8	8.4	21	1.6
M10	10.5	24	2
M12	13	28	2.5
M16	17	34	3
M20	21	39	3
M24	25	50	4
M30	31	60	4

Form D: Large Diameter

Normal Size	Inside Diameter	Outside Diameter	Thickness
M6	6.4	14	0.8
M8	8.4	21	1
M10	10.5	24	1.25
M12	13	28	1.6
M16	17	34	2
M20	21	39	2

Table 3

Normal Size	Inside Diameter	Outside Diameter	Light S.W.G	Heavy S.W.G
1/8	0.140	0.312	21	19
5/32	0.171	0.375	21	18
3/16	0.203	0.437	21	18
1/4	0.265	0.562	20	17
5/16	0.328	0.625	19	15
3/8	0.390	0.750	18	15
7/16	0.453	0.875	18	13
1/2	0.515	1.000	17	13
9/16	0.651	1.125	17	12
5/8	0.776	1.250	15	11
3/4	0.901	1.500	15	10
7/8	1.026	1.625	15	9
1	1.151	1.875	15	8
1.1/8	1.276	2.125	13	7
1.1/4	1.000	2.375	11	7
1.3/8	1.401	2.625	10	6
1.1/2	1.526	2.875	10	6
1.3/4	1.776	3.375	10	5
2	2.026	3.625	10	5

Table 4

Normal Size	Inside Diameter	Outside Diameter	Light S.W.G	Heavy S.W.G
1/8	0.140	0.375	21	19
5/32	0.171	0.437	21	18
3/16	0.203	0.500	21	18
1/4	0.265	0.625	20	17
5/16	0.328	0.750	19	15
3/8	0.390	0.875	18	15
7/16	0.453	1.000	18	13
1/2	0.515	1.125	17	13
9/16	0.651	1.250	17	12
5/8	0.776	1.375	15	11
3/4	0.901	1.625	15	10
7/8	1.026	1.875	15	9
1	1.151	2.125	15	8
1.1/8	1.276	2.375	13	7
1.1/4	1.000	2.625	11	7
1.3/8	1.401	2.875	10	6
1.1/2	1.526	3.125	10	6
1.3/4	1.776	3.625	10	5
2	2.026	4.125	10	5

Decimal Equivalents

Fractions of an inch / Millimetres / Wood Screw Gauge / Imperial Standard Wire Gauge / BA

Inches		mm	Wood Screw Gauge	Imperial Standard Wire Gauge	BA
Decimals	Fractions				
0.016	1/64	0.397			
0.031	1/32	0.794			
0.032		0.813		21	
0.036		0.914		20	
0.039		1.000			
0.040		1.016		19	
0.046		1.190			
0.048		1.219		18	
0.056		1.422		17	
0.062	1/16	1.587	0		
0.064		1.626		16	
0.072		1.829	1	15	
0.078	5/64	2.000			
0.080		2.032		14	
0.092		2.337	2	13	
0.093	3/32	2.381			
0.104		2.642	3	12	
0.109	7/64	2.778	4		6
0.116		2.956		11	
0.118		3.000			
0.125	1/8	3.175	5		
0.128		3.251		10	
0.140	9/64	3.571	6		4
0.144		3.658		9	
0.156	5/32	3.968	7		
0.157		4.000			
0.160		4.060		8	
0.171	11/64	4.365	8		
0.176		4.470		7	
0.178		4.520	9		
0.187	3/16	4.762		6	2
0.192		4.880	10		
0.196		5.000		5	
0.203	13/64	5.159			
0.212		5.385		4	
0.218	7/32	5.556			
0.220		5.590	12		
0.234	15/64	5.593		3	
0.236		6.000			0
0.248		6.300	14	2	
0.250	1/4	6.350			
0.252		6.401		1	
0.265	17/64	6.746			
0.275		7.000			
0.276		7.010	16	0	
0.281	9/32	7.143			
0.296	19/64	7.540			
0.300		7.620		2/0	
0.304		7.772	18		
0.312	5/16	7.937		3/0	
0.315		8.000			
0.328	21/64	8.334		4/0	
0.332		8.430	20		

Inches		mm	Wood Screw Gauge	Imperial Standard Wire Gauge	BA
Decimals	Fractions				
0.236		6.000			0
0.248		6.300	14	2	
0.250	1/4	6.350			
0.252		6.401		1	
0.265	17/64	6.746			
0.275		7.000			
0.276		7.010	16	0	
0.281	9/32	7.143			
0.296	19/64	7.540			
0.300		7.620			2/0
0.304		7.772	18		
0.312	5/16	7.937			3/0
0.315		8.000			
0.328	21/64	8.334			4/0
0.332		8.430	20		
0.343	11/32	8.731			5/0
0.354		9.000			
0.359	23/64	9.128			6/0
0.375	3/8	9.525			
0.390	25/64	9.921			
0.393		10.000			
0.406	13/32	10.318			
0.421	27/64	10.715			
0.433		11.000			
0.437	7/16	11.112			
0.453	29/64	11.509			
0.469	15/32	11.908			
0.472		12.000			
0.484	31/64	12.303			
0.511		13.000			
0.515	33/64	13.090			
0.531	17/32	13.490			
0.546	35/64	13.890			
0.551		14.000			
0.562	9/16	14.280			
0.578	37/64	14.680			
0.590		15.000			
0.593	19/32	15.08			
0.609	39/64	15.47			
0.625	5/8	15.87			
0.629		16.00			
0.640	41/64	16.27			
0.656	21/32	16.66			
0.669		17.00			
0.671	43/64	17.06			
0.687	11/16	17.46			
0.703	45/64	17.85			
0.708		18.00			
0.718	23/32	18.25			
0.734	47/64	18.65			
0.748		19.00			
0.750	3/4	19.05			
0.765	49/64	19.44			

The above information is provided for guidance only and should not be used when working to stringent specifications.